

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA
MAY 9 1973
Date of filing in State Engineer's Office

Returned to applicant for correction

Corrected application filed

Map filed MAY 9 1973

The applicant Peter Wodrich
4839 So. Carson Street
of Carson City, County of

State of Nevada 89701, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground source
Name of stream, lake or other source.

2. The amount of water applied for is .25 second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet acre-feet

3. The water to be used for commercial and domestic
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)

(b) Stockwater (state number and kinds of animals to be watered)

(c) Other use (describe fully under "No. 12. Remarks") See notes

(d) Power:

(1) Horsepower developed 1 HP

(2) Point of return of water to stream None

5. The water is to be diverted from its source at the following point: NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 32 T.15N.,

R.20E., M.D.B.&M. from which the North $\frac{1}{4}$ corner of said Sec. 32

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

bears N. 86° 55' 35" E. 2306.90 Ft.

it should be stated.

6. Place of use. N $\frac{1}{2}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 32 which lies East of the U. S. 395

Describe by legal subdivision, if on unsurveyed land it should be so stated.

right of way, T.15N., R.20E., M.D.B. M.

7. Use will begin about 1 January and end about Dec. 31, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans

and specifications of your diversion or storage works.) 8" Well, 105 ft. depth Barnes

Electric 220 Volts, Submersible Pump, 50 gal. pressure tank &

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

pipe lines to points of use

9. Estimated cost of works..... 3,500
10. Estimated time required to construct works..... 6 weeks
11. Estimated time required to complete the application to beneficial use..... 1 year Present use includes
1 Residence, 1 Beauty Salon, 1 General Store and 1 Restaurant
12. Remarks..... Had 3 additional stores, possible general store (2) and
(1) coffee shop.

Applicant..... Peter Wodrich

By..... s/ James A. Rankin

Compared..... jw/bs bs/lk James A. Rankin
150 Manzanita Terrace
Carson City, Nevada

APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipe line near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 0.05..... cubic feet per second, but not to exceed..... 0.675 million gallons annually.

Actual construction work shall begin on or before..... November 10, 1973

Proof of commencement of work shall be filed before..... December 10, 1973

Work must be prosecuted with reasonable diligence and be completed on or before..... November 10, 1973

Proof of completion of work shall be filed before..... December 10, 1973

Application of water to beneficial use shall be made on or before..... November 10, 1975

Proof of the application of water to beneficial use shall be filed on or before..... December 10, 1975

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed..... FEB 11 1974
Completion of work filed..... FEB 11 1974
Proof of beneficial use filed..... DEC 8 1976
Cultural map filed.....
Certificate No..... 9071 Issued..... 7-6-77
Recorded..... Bk..... Page.....

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 10th day of September

A.D. 19 73

Roland D. Westergard
State Engineer